

CESE Downloads

Table of contents

1 CESE stable.....	2
2 CESE development.....	2
3 CVS access.....	2

CESE is distributed under the terms of GNU GPL2. Certain 3-d party libraries may hold different license. Refer to the specific documentation for details.

1. CESE stable

Notice to Fedora Core and other Linux users. Make sure you have Sun JRE/JDK installed and available by default (set JAVA_HOME to point to Sun Java) before attempting to compile or run CESE. CESE is NOT compatible with GCJ/GNU Classpath compiler and runtime.

The current stable version of CESE is a production-level code that was tested before the release.

CESE requires JDK/JRE version 1.5 (5.0) or above to be installed. Visit java.com to download a Java Runtime for your platform.

CESE stable is available in the source and binary forms from the SourceForge download page:

- Download **CESE stable files**.

2. CESE development

This is untested development code of CESE. Use on you own risk.

You can access raw CVS data at SourceForge using rsync. Note that you will get source code only, you have to compile it yourself in order to run.

```
$ rsync -av rsync://cese.cvs.sourceforge.net/cvsroot/cese/*
```

Report bugs and request new features: use [SourceForge bug database](#) or mail to support@simulogic.com.

3. CVS access

CESE source tree is hosted at [SourceForge](#).

To connect to the CVS repository read-only and checkout the code:

```
cvs -d:pserver:anonymous@cese.cvs.sourceforge.net:/cvsroot/cese login
```

```
cvs -z3 -d:pserver:anonymous@cese.cvs.sourceforge.net:/cvsroot/cese co  
modulename
```

The default *modulename* for CESE HEAD is *cese*.

To obtain the developer CVS write access, create a new SourceForge account and mail to support@simulogic.com.

You can build CESE or models from CVS code using the included Ant build scripts. Refer to the description of the CESE [build system](#).

- Browse [CVS online](#).